

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	19	(455/435:\$2).ccls. and (home adj2 agent) and (foreign adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 10:52
S2	583	(455/435:\$2).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 10:20
S3	500	(455/435:\$2).ccls. and (@ad<"20011017" or @rlad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 10:28
S4	1	((455/435:\$2).ccls. and (@ad<"20011017" or @rlad<"20011017")) and (fail near5 link)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 10:22
S5	1	((455/435:\$2).ccls. and (@ad<"20011017" or @rlad<"20011017")) and ((home adj2 agent) with (list or table))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 10:28
S6	189	"455"/\$.ccls. and (home adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 10:28
S7	129	('455'/.ccls. and (home adj2 agent)) and (@ad<"20011017" or @rlad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 10:28

S8	12	(455/435.\$2).ccls. and ((home adj2 agent) same (register\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 10:54
S9	413	((home adj2 agent) same (register\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 10:56
S10	5	((((home adj2 agent) same (register\$4))) and rank\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:47
S11	325	(home adj2 agent) and (stor\$4 with (list or table or file or index)) and register\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:27
S12	252	((home adj2 agent) and (stor\$4 with (list or table or file or index))) and register\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:26
S13	53	(home adj2 agent) and ((stor\$4 with (list or table or file or index)) same (mobile adj2 node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 13:46
S14	3	(20020114323 6208634 5907810).pn.	US-PGPUB; USPAT	OR	ON	2004/03/10 16:39
S15	7	(CURREN-STEVEN BOULOS-PIERRE WENZEL-PETER).in.	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 16:41
S16	5	(CURREN-STEVEN BOULOS-PIERRE WENZEL-PETER).in.	US-PGPUB; USPAT	OR	ON	2004/03/10 16:42

S17	83	((home adj2 agent) same (register\$4)) and (rank\$4 or grouping or hierarch\$4 or classified or classifying)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 17:14
S18	49	(((((home adj2 agent) same (register\$4))) and (rank\$4 or grouping or hierarch\$4 or classified or classifying)) and (@ad<"20011017" or @rid<"20011017"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 17:25
S19	18	(primary and secondary) same ((mobile or home or foreign) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 17:25
S20	14	((primary and secondary) same ((mobile or home or foreign) adj2 agent)) and (@ad<"20011017" or @rid<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 17:48
S21	123	(home adj agent) near5 (table or list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 17:48
S22	14	((((mobile adj node) or subscriber) with register\$4) same ((home adj agent) near5 (table or list)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/10 17:54
S23	48	((((mobile adj node) or subscriber) with register\$4) and ((home adj agent) near5 (table or list)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 09:40

S24	2	((home adj2 agent) or home\$2agent) with rank\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 09:43
S25	59	"455"/\$.ccls. and (rank with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 10:00
S26	72	"370"/\$.ccls. and (rank with list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 10:01
S27	0	"370"/\$.ccls. and (rank with list) and ((mobility or home or foreign) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 10:03
S28	113	(455/435.\$2).ccls. and IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 10:05
S29	84	((455/435.\$2) ccis. and IP) and (@rlad<"200111017" or @ad<"200111017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 10:17
S30	86	(455/456.\$).fs.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 13:30
S31	0	(455/456.\$).fs.	EPO; JPO; DERWENT	OR	ON	2004/03/11 10:47

S32	1467	370/328,329.cc1s.		US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/11 10:48
S33	10	370/328,329.cc1s. and (agent near5 list)		US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/11 10:49
S34	3	"20020067704"		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 13:31
S35	2	"20020067704"		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 14:14
S36	75	((mobile or cellular or subscriber or portable or wire\$2less or radio) adj2 (telephone or unit or station or device or terminal or phone or handset)) with (((home or foreign or mobility) adj2 agent) with (table or list or stor\$4 or collect\$4 or accumulates\$4))		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 15:01
S37	371	"455"/\$.cc1s and (random with (list or table))		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 15:02
S38	4	"455"/\$.cc1s. and ((random with (list or table)) with (rank\$4 or priority\$4 or heirarch\$4))		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 15:04
S39	57	"455"/\$.cc1s and ((random near2 (generat\$4)) with (list or table))		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 18:28

S40	1	2002-589264.NRAN.	DERWENT	OR	OFF	2004/03/11 15:05
S41	8	"1058421"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/11 18:28
S42	8	"1058421"	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 10:14
S43	812	("455"/\$ "370"/\$ "340"/\$ "375"/\$ "379"/\$).ccls. and ((rank\$4 with (date or time)) same (list or table or address))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 10:16
S44	184	("455"/\$ "370"/\$ "340"/\$ "375"/\$ "379"/\$).ccls. and ((rank\$4 with (date or time)) same (list or table or address))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 10:18
S45	159	((455"/\$ "370"/\$ "340"/\$ "375"/\$ "379"/\$).ccls. and ((rank\$4 with (date or time)) same (list or table or address))) and (@rlad<"20011017" or @ad<"20011017")	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 10:17
S46	9	("455"/\$ "370"/\$ "340"/\$ "375"/\$ "379"/\$).ccls. and ((rank\$4 with (date or time)) same (list or table or address))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 10:24
S47	1613	("455"/\$ "370"/\$ "340"/\$ "375"/\$ "379"/\$).ccls. and (date near7 (list or table or address))	US_PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 10:25

S48	19	((("455"/\$ "370"/\$ "340"/\$ "375"/\$ "379"/\$).ccls. and (date near7 (list or table or address))) and ((mobil\$4 or foreign or home) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 10:25
S49	5607	370/338,401,352,353,354,355,356.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 13:47
S50	114	370/338,401,352,353,354,355,356.ccls. and register\$4 same ((home or foreign or mobility) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 13:49
S51	78	(370/338,401,352,353,354,355,356.ccls. and register\$4 same ((home or foreign or mobility) adj2 agent)) and (@rlad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 14:19
S52	13	((370/338,401,352,353,354,355,356.ccls. and register\$4 same ((home or foreign or mobility) adj2 agent)) and (@rlad<"20011017" or @ad<"20011017")) and (list with (stor\$4 or retriev\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 14:38
S53	0	((370/338,401,352,353,354,355,356.ccls. and register\$4 same ((home or foreign or mobility) adj2 agent)) and (@rlad<"20011017" or @ad<"20011017")) and ((ranking near7 list) with (date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 14:39
S54	0	((370/338,401,352,353,354,355,356.ccls. and register\$4 same ((home or foreign or mobility) adj2 agent)) and (@rlad<"20011017" or @ad<"20011017")) and (((rank\$4 classify\$4) near7 (list or table or address)) with (date))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 14:40

S55	5	((370/338,401,352,353,354,355,356.ccis. and register\$4 same ((home or foreign or mobility) adj2 agent)) and (@rid<"20011017" or @ad<"20011017")) and ((list or table or address) with date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 14:48
S56	2	370/338,401,352,353,354,355,356.ccis. and (((fail "can't" cannot) near3 register) and (home adj2 agent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 16:23
S57	2	"6473413".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/12 16:29
S58	7	("535331" "5490139" "5819178" "5958018" "6160804" "6195705" "6414950").PN.	USPAT	OR	OFF	2004/03/12 16:24
S59	4	"6473413".URPN.	US-PGPUB	OR	OFF	2004/03/12 16:46
S60	1	"20030073439"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 10:50
S61	218	((rank or heirarcal or hierarchy or order) near5 list) with random\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 10:56
S62	18	(((rank or heirarcal or hierarchy or order) near5 list) with (time or date) ("370"/\$ or "455"/\$).ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 10:56
S63	1450	((rank or heirarcal or hierarchy or order) near5 list) with (time or date)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 10:57

S64	134	((rank or heiriarcal or heirarchy or order) near5 list) with (time or date) and ("370"/\$ or "455"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 10:57
S65	290	((rank or heiriarcal or heirarchy or order) near5 list) with date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 10:58
S66	12	((rank or heiriarcal or heirarchy or order) near5 list) with date or "455"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 10:57
S67	5	((sort) near5 list) with random\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 12:23
S68	64	((sort) near5 (list or table)) with date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 12:24
S69	9	((sort) near5 (list or table)) with date) and ("455"/\$ or "370"/\$ or "709"/\$ or "701"/\$ or "375"/\$ or "379"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 12:24
S70	13	((sort) near5 (list or table)) with date) and ("455"/\$ or "370"/\$ or "709"/\$ or "701"/\$ or "375"/\$ or "379"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 12:24

S71	89	((sort) near5 (list or table)) with date	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 12:45
S72	75	((sort) near5 (list or table)) with date) and (@rlad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 12:39
S73	0	(((sort) near5 (list or table)) with date) and (@rlad<"20011017" or @ad<"20011017")) and ((mobility or foreign or home) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 12:33
S74	14	((sort) near5 (list or table)) with (date near5 time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 12:38
S75	10	((sort) near5 (list or table)) with (date near5 time)) and (@rlad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 12:39
S76	15	((sort) near5 (list or table)) with (date near5 time)) or (((sort near5 (list) with date) and ((sort near5 (list) with time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 12:47
S77	15	((sort near5 (list or table)) with (date near5 time)) or (((sort near5 (list) with date) and ((sort near5 (list) with time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 15:10

S78	23	(arrang\$4 or rank\$4 or sort\$4) near5 (home adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	ON	2004/03/15 15:10
S79	3888	(sort\$4 or rank\$4 or list\$4) with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	ON	2004/03/15 15:15
S80	149	((sort\$4 or rank\$4 or list\$4) with IP) and ((home or foreign or mobility) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	ON	2004/03/15 15:15
S81	113	((sort\$4 or rank\$4 or list\$4) with IP) and ((home or foreign or mobility) adj2 agent)) and (@rlad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	ON	2004/03/15 15:15
S82	1614	(sort\$4 rank\$4 arrang\$4) with IP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	ON	2004/03/15 15:15
S83	49	((sort\$4 rank\$4 arrang\$4) with IP) and ((home or foreign or mobility) adj2 agent)) and (@rlad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	ON	2004/03/15 15:15
S84	27	((sort\$4 rank\$4 arrang\$4) with IP) and ((home or foreign or mobility) adj2 agent)) and (@rlad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	ON	2004/03/15 15:21

S85	0	perkins-charles.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 15:21
S86	4389	perkins.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 15:21
S87	8	perkins.in. and (home adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 15:23
S88	2	(charles adj2 perkins).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 17:28
S89	1	charles-perkins.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 15:56
S90	0	((home adj2 agent) and ((software or hardware) with redundancy)) tu	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/15 15:57
S91	5	(home adj2 agent) and ((software or hardware) with redundancy)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/03/16 13:36
S92	8	(20020067704 20030058855 20030128689 20020132620 20010021175 64 73413 6487406 6636498).pn	US-PGPUB; USPAT	OR	ON	2004/03/16 13:55

S93	8	(US-6487406-\$ or US-6636498-\$ or US-6473413-\$) did. or (US-20010021175-\$ or US-20020067704-\$ or US-20030128689-\$ or US-20020132620-\$ or US-20030058855-\$).did.	US-PGPUB; USPAT	OR	OFF	2004/10/05 16:57
S94	3	((US-6487406-\$ or US-6636498-\$ or US-6473413-\$).did. or (US-20010021175-\$ or US-20020067704-\$ or US-20030128689-\$ or US-20020132620-\$ or US-20030058855-\$).did.) and load	US-PGPUB; USPAT	OR	OFF	2004/10/05 16:57
S95	2	((US-6487406-\$ or US-6636498-\$ or US-6473413-\$).did. or (US-20010021175-\$ or US-20020067704-\$ or US-20030128689-\$ or US-20020132620-\$ or US-20030058855-\$).did.) and (load near2 balanc\$4)	US-PGPUB; USPAT	OR	OFF	2004/10/05 17:06
S96	28	((subscriber (mobile near2 node) same (balanc\$4 near2 load)) and ((Home foreign) near2 agent))	US-PGPUB; USPAT	OR	ON	2004/10/05 17:45
S97	0	"6711623".URPN.	USPAT	OR	OFF	2004/10/05 17:20
S98	5	("6195705" "6466964" "64669522" "6560217" "6636498").PN.	USPAT	OR	OFF	2004/10/05 17:20
S99	2	(("6195705" "6466964" "64669522" "6549522" "6560217" "6636498").PN.) and (load near2 balanc\$4)	USPAT	OR	OFF	2004/10/05 17:21
S100	161	(balanc\$4 near2 load) and ((home foreign) near2 agent)	US-PGPUB; USPAT	OR	ON	2004/10/05 17:45
S101	170	(balanc\$4 near2 load) and ((home foreign) near2 agent)	US-PGPUB; USPAT;	OR	ON	2004/10/06 08:42
S102	568	((((((mobile) near2 (subscriber unit station user)) (user near2 equipment)) with (select\$4 choos\$4 chos\$3 prefer\$5)) same (agent HA\$2 FA\$2)) and loac\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 08:46
S103	62	((((((mobile) near2 (subscriber unit station user)) (user near2 equipment)) with (select\$4 choos\$4 chos\$3 prefer\$5)) same (agent HA\$2 FA\$2)) same (load\$4 over\$2load\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 09:00

S11 3	3	((6430698 6115463 6738362).pn.) and (over\$2load load\$4)	USPAT	OR	ON	2004/10/06 10:30
S11 4	3	"200106734"	USPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 10:45
S11 5	1	2001-397315.NRAN.	DERWENT	OR	OFF	2004/10/06 10:45
S11 6	2	"200051309"	USPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 10:45
S11 7	1	"65560217".pn. and (load\$4 over\$2load\$4)	USPAT	OR	OFF	2004/10/06 11:02
S11 8	334	((select\$4 choos\$3) with (list group database set) with (agent FA\$1 HA\$1 "FA-\$1" "HA-\$1)) and ((mobile home foreign) near2 agent)	USPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 11:08
S11 9	68	((select\$4 choos\$4 choos\$3) with (list group database set) with (agent FA\$1 HA\$1 "FA-\$1" "HA-\$1)) and ((mobile home foreign) near2 agent) and (over\$2load\$4 (balance\$4 near2 load\$4))	USPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 11:06
S12 0	71	((select\$4 choos\$4 choos\$3) with (list group database set table) with (agent FA\$1 HA\$1 "FA-\$1" "HA-\$1)) and ((mobile home foreign) near2 agent) and (over\$2load\$4 (load near5 balance\$4))	USPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 11:18
S12 1	6	"657745".apn,an,ap.	USPGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 11:28

S12 2	16	((kent leung) and (madhari chandra)).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 13:30
S12 3	4	"2004017172"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 11:36
S12 4	1	"6691227".pn.	US-PGPUB; USPAT;	OR	OFF	2004/10/06 11:49
S12 5	1	"6691227".pn. and (over\$2load (balanc\$4 with load))	US-PGPUB; USPAT;	OR	OFF	2004/10/06 11:51
S12 6	7	(secondary with ((home near2 agent) HA\$1 "HA-"\$1)) same (over\$2load\$4 (balanc\$4 with load\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ON	ON	2004/10/06 11:53
S12 7	15	((secondary redundancy redundant) with ((home near2 agent) HA\$1 "HA-"\$1)) same (over\$2load\$4 (balanc\$4 with load\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 12:08
S12 8	5	("6195705" "64666964" "6549522" "6560217" "6636498").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 11:55
S12 9	1	"950954"	EPO	OR	ON	2004/10/06 12:23
S13 0	1	"1058421"	EPO	OR	ON	2004/10/06 12:23
S13 1	2	"200018154"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 12:25

S13 2	0	"20010342089"	US-PGPUB; USPAT	OR	OFF	2004/10/06 13:29
S13 3	2	"200018155"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/06 13:31
S13 4	1	"981268".apn,ap,an.	US-PGPUB; USPAT	OR	OFF	2004/10/06 13:53
S13 5	5	"803943".apn,ap,an.	US-PGPUB; USPAT	OR	OFF	2004/10/06 14:00
S13 6	1	"20010021175" and (load\$4 same agent same (mobile near2 node))	US-PGPUB; USPAT	OR	OFF	2004/10/06 14:11
S13 7	0	"6560217".pn. and random	USPAT	OR	OFF	2004/10/06 14:19
S13 8	42	((mobile near2 (node station unit)) (user near2 equipment) subscriber) with (rank\$4 prefer\$4) with (((mobile home foreign) adj2 agent) HA\$1 FA\$1 "FA-\$1 "HA-"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 14:43
S13 9	103	((mobile near2 (node station unit)) (user near2 equipment) subscriber) same (random) same (((mobile home foreign) adj2 agent) HA\$1 FA\$1 "FA-"\$1 "HA-"\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 14:54
S14 0	1	((mobile near2 (node station unit)) (user near2 equipment) subscriber) with (rank\$4 prefer\$5) with (DHCP near2 (server node))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 14:44
S14 1	20	((mobile near2 (node station unit)) (user near2 equipment) subscriber) same ((random near5 (number numeral))) and ((mobile home foreign) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 15:21

S14 2	2	((mobile near2 (node station unit)) (user near2 equipment) subscriber) same (random\$4 near2 (rank\$4 order\$4)) and ((mobile home foreign) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 15:25
S14 3	22	(random\$4 near2 (rank\$4 order\$4)) and ((mobile [home foreign] agent) same (random\$4 near2 (rank\$4 order\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:35
S14 4	3	((((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone)) pda mu cell\$2phone hand\$2set)) with generat\$4 with ((random\$4 near2 (rank\$4 order\$4)) near2 (number value numerical)) same (rank\$4 order\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:38
S14 5	13	((((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone)) pda mu cell\$2phone hand\$2set)) same ((random\$4 near2 (rank\$4 order\$4)) near2 (number value numerical)) same (rank\$4 order\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:42
S14 6	1067	((((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone)) pda mu cell\$2phone hand\$2set)) with ((random\$4 near2 (number value numerical)) (random\$4 near2 (number value numerical)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:41
S14 7	794	((((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone)) pda mu cell\$2phone hand\$2set)) (subscriber)) with (generat\$4 produc\$4 output\$5) with (random\$4 near2 (number value numerical))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/06 16:46
S14 8	55	((((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone)) pda mu cell\$2phone hand\$2set)) (subscriber)) with (generat\$4 produc\$4 output\$5) with (random\$4 near2 (number value numerical))) and (agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:03

S14 9	1814	((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node)) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) with (random\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:40
S15 0	423	((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node)) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) with (random\$4) and ("455"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:13
S15 1	6	((((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node)) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) with (random\$4) and ("455"/\$.ccls.)) and (mobil\$4 near2 ip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:10
S15 2	0	(((((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node)) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) with (random\$4) and ("455"/\$.ccls.)) and (370/913.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:12
S15 3	4	((((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node)) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) with (random\$4) and ("455"/\$.ccls.) and (rank\$4 near2 order\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:12
S15 4	358	((((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2less hand\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node)) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) with (random\$4) and ("455"/\$.ccls.) and (@rid<'20011017' @ad<'20011017')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:19

S15 5	0	(((((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) with (random\$4) and ("455"/\$.ccls.) and (@rlad<"20011017" @ad<"20011017") and ((mobile home foreign) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:19
S15 6	4	(((((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) with (random\$4) and ("455"/\$.ccls.) and ((mobile home foreign) adj2 agent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:21
S15 7	5	"126989".apr,ap,an.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:23
S15 8	577	"1":ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:24
S15 9	41	(((((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) with (random\$4) and ("455"/\$.ccls.) and "1". ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:24
S16 0	60	(((((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) near4 (date time\$2stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:47

S16 1	0	((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) near4 (current near2 (date time\$2stamp)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 09:48
S16 2	20	((subscriber near unit) (user adj equipment) mn (((handy personal movable mobile portable radio RF cellular wire\$2less cord\$2held transportable) near2 (unit station terminal subscriber device apparatus phone telephone node) pda mu cell\$2phone hand\$2set)) with (generat\$4 produc\$4 output\$5 provid\$4) near4 (current near2 (date time\$2stamp)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 10:04
S16 3	6	(20030182433 6055433 20020049842).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 10:12
S16 4	12	(2002/0067704 20020052952 '6314465'; 20030093560 6529953 6317786 6205125).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/07 10:12
S16 5	1	"20030073439"	US-PGPUB; USPAT	OR	OFF	2004/10/07 16:41
S22 8	15	((stor\$3 or say\$3) near3 address\$4) near5 ((home adj agent) or (HA) with ((mobile or portable or subscriber or cellular or wireless or radio) adj2 (subscriber or unit or device or terminal or station or telephone or phone)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:43
S22 9	6	S228 and (@rlad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT;	OR	ON	2005/06/06 15:44
S23 0	36	((stor\$3 or say\$3) near3 address\$4) with ((home adj agent) or (HA) same ((mobile or portable or subscriber or cellular or wireless or radio) adj2 (subscriber or unit or device or terminal or station or telephone or phone)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 16:35

S23 1	36	((stor\$3 or sav\$3) near3 address\$4) with ((home adj agent) or HA)) same ((mobile or portable or subscriber or cellular or wireless or radio) adj2 (subscriber or unit or device or terminal or station or telephone or phone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 15:44
S23 2	12	(S230_01:S231) and (@!ad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 16:38
S23 3	2	("20020067704").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:47
S23 4	0	("2002/0067704").URPN	USPAT	OR	ON	2005/06/06 15:50
S23 5	2	("6771623").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 15:50
S23 6	5	("6195705" "6466964" "6549522" "6560217" "6636498") PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 15:50
S23 7	54	((stor\$3 or sav\$3) near5 (address\$4 or list\$3 or table or file or index)) with ((home adj agent) or HA) same ((user or mobile or portable or subscriber or cellular or wireless or radio) adj2 (equipment or subscriber or unit or device or terminal or station or telephone or phone))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 16:45
S23 8	14	S237 and (@!ad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 16:45

S23 9	50	((stor\$3 or sav\$3) near5 (address\$4 or list\$3 or table or file or index)) with ((user or mobile or portable or subscriber or cellular or wireless or radio) adj2 (equipment or subscriber or unit or device or terminal or station or telephone or phone)) same ((home adj agent) or HA)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 16:45
S24 0	14	S239 and (@!ad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 17:58
S24 1	167	(charles near2 perkins).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 17:28
S24 2	0	('2003/0073439').URPN.	USPAT	OR	ON	2005/09/03 17:49
S24 3	104	((register\$4 or registration) with ((home adj agent) or HA)) same (((stor\$3 or sav\$3) near5 (address\$4 or list\$3 or table or file or index)) with ((home adj agent) or HA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 17:57
S24 4	39	S243 and (@!ad<"20011017" or @ad<"20011017")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/03 17:58
S24 5	5	("6195705" "6466964" "6549522" "6560217" "6636498").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/03 18:38